		24	Coin controlled
1	BILLIARDS OR POOL		
2	.Practice device or device to aid	25	With means to separate or
	in aiming cue or cue ball		segregate store balls pocketed
	during shots (e.g., to assist	0.5	by each player or team
	in bank shots, etc.)	26	Ball rack also constitutes or
3	.Adapted to be played on floor,		includes spotting rack
	ground, or court	27	With means to prevent
4	.Table or gameboard		unauthorized use of table or
5	With mechanical ball projector		to limit playing time or
6	Convertible between billiard		number of games played
	and pool (i.e., between	28	Pocket structure
	pocketed and nonpocketed)	29	Playing surface structure
7	Using pocket blocking device		(i.e., bed structure)
	positionable only in vicinity	30	Device for securing playing
	of pocket (e.g., pocket plug,		surface covering (e.g., for
	rail piece, etc.)		securing billiard table cloth,
8	Using interchangeable,		etc.)
	shiftable, reversible, or	31	Rail structure
	removable cushion rails	32	Cushioned portion thereof
9	Invertible playing surface	33	Frame or leg structure
10	Convertible to another type of	34	Dust cover therefor
	furniture or to different type	35	.Cue chalker
	of game playing surface	36	Chalk holder
11	Rail vertically raised or	37	With means for automatically
	lowered relative to bed		applying chalk
12	Vertically movable playing	38	Flexibly tethered
	surface	39	Secured to generally fixed
13	Detachable or hinged rail		support
14	Convertible to different type	40	.Ball spotting rack
	of game playing surface	41	With ball carrying or storage
15	Readily foldable or collapsible		means
16	Rotatable playing surface	42	.Cue rest
17	Having pocket or other target	43	Hand attached or engaged by
	with ball actuated indicator		hand in vicinity of cue
18	Playing surface having		supporting portion
	unconventional peripheral	44	.Cue
	configuration defined by the	45	Mechanically operated
	carom rails	46	Disparate attachment therefor
19	Attachment or accessory		or convertible to or combined
	providing plural pockets or		with disparate device
	other targets located at only	47	With user adjustable or
	one end of playing surface		changeable weight
20	Playing surface having	48	Axially telescopic
	unconventional number,	49	Tip or tip fastener therefor
	entrance opening, or	50	Clamp or press
	arrangement of pockets or	51	Striking portion formed of
	having additional or shiftable		material other than leather
	carom or bumper means thereon	52	.Ball
21	Table attached ball rack	53	Having characteristic enabling
22	With conveying chutes		ball to be mechanically
	interconnecting pockets with		separated from other balls
	ball rack	54	BOWLING
23	With means to distinguish or	55	.Practice or assist device
	identify each ball pocketed	56	For handicapped person

- 7		٥٦	P. 1. 11 1
57	Selective pin setter	95	Distributor
58	Ball path indicator	96	Pivotable chute or conveyor
59	Bowler worn or carried	97	Elevator
60	Including means for positive	98	With ball separator
	engagement with ball	99	And ball handling
61	Finger support or guide	100	Sweep
62	Wrist support or guide	101	Pin sensor
63	Arm or elbow support or guide	102	Pin spot
64	.Handling of pin or pin	103	Including means for positive
	representation		pin alignment
65	Including electrical cycle	104	Retractable peg
	sequence control	105	Socket-type
66	Including means for conserving	106	.Ball handling or diverting means
	energy	107	Mechanical projector
67	With indicator	108	Tethered ball
68	Tethered or pivotal pin	109	Means to change or curve ball
69	Pinfall	202	path
70	Score	110	Ball return
71	Including electromechanical	111	Ball lift or elevator
, _	calculating means	112	Mechanical means for ball
72	Foul	112	retarding or arresting
73	Pin setter	113	Gutter structure
73 74		_	
74	Rollable, translatable, or simulative target	114	Backstop, division board, or adjunct therefor
75	Pivotal pin	115	.Alley or board structure
76	Pivot substantially at base of pin	116	<pre>Portable game board, table, or alley</pre>
77	With spring detent	117	With nonwooden alley surface or
78	Tethered pin		lining
79	Tethered at base of pin	118	.Pin
80	Including reset lever or	119	Composite structure (e.g.,
	crank		distinct layers, components,
81	Including means to remove		joint, etc.)
01	dead wood	120	With reinforcing filament,
82	Pin biased away from bed	120	fiber, or fabric
83	Manually loadable	121	With metal shell or skin
84	Including means to upright	122	With wooden component
04	pin	123	Laminated or attached wooden
85	Magnetic force acts on pin	123	components
	_	104	_
86	For alternative pin sets	124	With end or bottom
87	Including means to lift live wood	125	reinforcing preform .Ball
88	With compensation for pin	126	With weight block
	offset	127	With specific grip means
89	Including distributor	128	Thumb or finger hole grip
90	Including means to convey pin	129	Size or depth adjusting means
	to distributor	130	Removable insert or bushing
91	Including elevator	131	GOLF
92	With compensation for pin	132	.Ball feeding means and tee
74	offset	133	Adjustable tee height
93	Pit cushion or actuator	134	
23	therefor	134	<pre>Condition responsive feeding means (e.g. automatic)</pre>
94	Pin guide or conveyor	135	Pneumatic

136	Electrical	160	Selectively contourable
137	Pivotal arm ball feed		(e.g., slope simulating
138	.Projectile tethered to swingable		<pre>surface, etc.)</pre>
	implement	161	Motor actuation
139	<pre>.Anchored (e.g., tethered, etc.) projectile</pre>	162	<pre>Collapsible (e.g., for storage, etc.)</pre>
140	With electrical sensor or	163	Projectile return
	electrical indicator	164	Projectile rebounds off target
141	Pictorial flight path image	165	Particular projectile (e.g.,
	display		reduced flight ball, etc.)
142	Spool for tether	166	Projectile return
143	With force or direction	167	Fairways extending radially
	indicator and tether		from centrally located
144	Linear spring indicator		addressing surface or target
145	Force or direction indicator	168	Plural addressing surfaces
	associated with projectile		(e.g., driving range, etc.)
	moving around a horizontal	169	Having sequential play (e.g.,
	axis		regulation earth course, etc.)
146	Force or direction indicator	170	Upstanding target (e.g.,
	associated with projectile		wicket, bucket, etc.)
	moving around a vertical axis	171	Putting green
147	Spherical projectile attached	172	Upstanding target
	to tether	173	.Target or obstacle (e.g.,
148	Plural projectiles		putting hole, hole marker,
149	Projectile moves around		sand trap, etc.)
	vertical axis	174	Target on putting surface
150	.Projectile addressing surface	175	Receiver is cup in earth
	and target, or distance marker		(e.g., regulation hole in
	(e.g., course, putting green		green, etc.)
	with cup, driving range,	176	Having cup marker (e.g., flag
	miniature golf course, etc.)		pin, etc.) or with sensor
151	Electrical sensor or electrical		responsive to projectile
	indicator responsive to	177	And projectile removal
	swingable implement or	178	Electrical actuation (e.g.,
	projectile		solenoid, etc.)
152	Sensor is projectile	179	Cup diameter restriction
	responsive (e.g., free-flight		means (e.g., filler plug,
	detection means, etc.)		etc.)
153	Projectile in receiver	180	Receiver or projectile
	indicator		responsive indicator
154	Target impact responsive	181	Selectively adjustable
155	Including sensor responsive		approach surface
	to projectile on addressing	182	Projectile return
	surface or in flight (e.g.,	183	Electrical actuation
	tee-target time detection,	184	Gravity
	etc.)	185	Plural receivers
156	Pictorial flight path image	186	Displaceable by projectile
	display	100	impact
157	Non-earth fairway	187	Resilient or pivotal portion
158	And obstacle (e.g., miniature	10,	arranged in a circle to retain
	golf course windmill, etc.)		projectile
159	Target is surface positioned	188	Top of projectile engaged
	aperture	189	Pivotal element
		109	FIVOCAL ETERRETIC

197	Net	224	Audible indicator
198	.Moving projectile responsive	225	Sensor integral with
	sensor or indicator		projectile addressing surface
199	Electrical	226	Device attachable to or
200			integral with swingable
200	Indicator integral with		implement
	projectile	227	
201	.Hand on grip positioning aid or	221	Nonhandle element engagable
	grip indicator		with body
202	With electrical sensor or	228	Air resistance device (e.g.,
	electrical indicator		airfoil, etc.)
203	Integral handle having finger	229	Anchored (e.g., tethered,
	conforming configurations		etc.) swingable implement
204	Angularly related integral grip	230	Wheel
	portions	231	Adjustable swingable
205	Worn on hand (e.g., glove,		implement, or swing or
203	etc.)		position indicator
206		232	Alterable shaft provides
206	Removably attachable to	232	swing force indication
	swingable implement	233	Swing speed indicator
207	.Practice device attachable to	234	Audible
	body		
208	Attachable to head, neck, or	235	Projectile retained by head
	mouth		of swingable implement during
209	Electrical		swing
210	Sighting element (e.g.,	236	Projection on face of
	eyeglasses, etc.)		swingable implement head
211	With displaceable indicator		provides reduced striking area
	responsive to head movement	237	Indication is a mark made by
212	Attachable to arm, hand, or		implement swing
	wrist	238	Adjustable implement or
213	Wrist		static position indicator
213			(e.g., with respect to the
	Spans elbow		golfer, projectile, target,
215	Attachable to hips, torso, or		etc.)
	waist	239	Adjustable shaft length
216	Waist encircling belt anchored	240	Reflective element
	to static structure	241	Bubble leveler
217	Attachable to foot		
218	.Foot positioning aid and	242	Integral with or attachable
	indicator associated with		to swingable implement head
	swingable implement	243	Self-standing implement
219	.Practice swingable implement or	244	Selectively adjustable
	indicator associated with		positioning means
	swingable implement	245	Adjustable loft angle
	Swiiiamie impiement	246	And adjustable lie angle
Novemb	er 2003		

247	Longitudinal bore in head receives elongated member	275	And separate body engagable member
	about which head pivots	276	Engaged with arm or shoulder
248 249	Adjustable lie	277	Engaged with hips, torso, or waist
217	ball	278	.Practice projectile addressing
250	Having transparent or translucent element	270	surface (e.g., driving mat, etc.)
251	Used for putting	279	Selectively adjustable (e.g.,
252		275	tiltable etc.)
232	indicia perpendicular to	280	.Practice projectile
	projectile striking face	281	Having air resistance device
253	And vertically spaced	282	.Club or club support
200	apart indicia	283	And scorekeeping device
254	Vertically spaced apart	284	And tee
201	indicia	285	And ball position marker
255	T-shaped head	286	And turf repair tool or ball
256	Particularly weighted practice	200	retriever
	implement	287	Club set
257	Swingable implement swing path	288	Interchangeable handle,
	indicator		striking face, or shaft
258	Head or shaft continuously	289	Particular correlated shaft
	engaged during swing		flexural characteristic
259	Closed loop	290	Particular correlated head
260	Swingable implement head		characteristic
	engaged	291	Mass distribution
261	Barrier which monitors swingable implement head movement	292	Head, shaft, and handle having particular combined center of gravity
262	Barrier is projectile	293	Player faces target (e.g.,
	addressing surface	200	croquet style putter, etc.)
263	Self-righting	294	Hands spaced apart on handle
264	Plural barriers, vertically	295	Rotatable handle
	spaced apart	296	Longitudinally adjustable
265	Plural barriers, horizontally	250	handle or shaft
	spaced apart	297	Particularly weighted handle
266	.Body movement or position	298	Grip or handle having
	indicator (e.g., stance aids,	200	particular nonwinding
	etc.)		attachment to shaft (e.g.,
267	Reflective device		quick detachable, etc.)
268	Sighting device directing	299	Reattachable
	golfer`s visual focus toward a	300	Grip
	point to restrain head	301	Spiral winding
	movement	302	Having recess or projection
269	Responsive to weight shift	303	Having longitudinal recess or
270	Foot positioning aid		projection
271	Having separate body engagable	304	One piece head and shaft
	member	305	Head and shaft connection
272	Selectively adjustable with	306	Threaded shaft
	pivotal members	307	Detachable and reattachable
273	Selectively adjustable with	308	Sleeve or winding engaged over
	linearly slidable member	500	outside of joint, hosel, and
	(e.g., telescopically		shaft
	extendible)	309	Joint formed with sleeve
274	Engaged with head or neck	232	engaging shaft and hosel

310	Resilient sleeve engaging	344	Having particular colo plato
310	hosel and outer shaft wall	344	Having particular sole plate
311	Shaft contacts sole	345	With internal support rib or
312	Having core (e.g., weight,	340	injected material
	etc.) positioned in head	347	Embedded fiber composition
	engaging shaft end	348	Including metal
313	Putter	349	Particular material
314	Particular relationship		composition or mass
	between shaft longitudinal		distribution
	axis and head orientation	350	Recess or cavity behind
315	Noncircular shaft end wall		striking face
	engages hosel	351	.Ball
316	Shaft	352	Buoyant
317	Reduced air resistance	353	Having locator means
318	Including nonmetallic material	354	Liquid interior
310	or vibratory wave modifying	355	-
	feature	333	Hollow pockets between
319	Filament (e.g., fiber, etc.)	256	spherical core and cover
319	_	356	Wound interior
	or sheet wrapped about shaft	357	Surrounding non-wound
220	longitudinal axis		spherical core
320	Including metal	358	Hollow core
321	And metal	359	Metal core or winding
322	Sections connected along	360	Wound wire
	longitudinally extending seam	361	Plural diverse layers between
323	Shaft tapered in steps		core and cover
324	Head	362	Diverse tension in wound
325	Plural striking faces		layers
326	Liquid interior	363	Nonwound layer
327	Reduced air resistance	364	Plural diverse nonwound
328	Reduced ground resistance		layers
329	Striking face surface deforms	365	Having particular cover
	upon impact (e.g., resilient,	366	Wound wide band
	etc.)	367	Interior includes injected or
330	Curved, grooved, or roughened	307	compressed material
	striking face	368	Injected material
331	Plural grooves	369	Injected material
332	Vibratory wave (e.g, shock	370	
	wave, etc.) modifying feature	370	Diverse layer between
333	With element displaceable with	271	shperical core and cover
333	respect to another head	371	Particular unitary or layered
	element during swing	250	construction
334	Selectively adjustable	372	Containing metal
331	weighting element	373	Diverse layer between
335	Embedded in head		spherical core and cover
	Elongated horizontal bore	374	Diverse layer between
336			spherical core and cover
337	Perpendicular to projectile	375	Hollow core
220	striking face	376	Plural diverse layers
338	In vertical bore access by	377	Diverse cover and interior
	sole	378	Particular cover (e.g., size,
339	In vertical bore access		material, dimple pattern,
	through top		etc.)
340	Putter	379	Icosahedral dimple pattern
341	Toe and heel weighting	380	Cuboctahedral dimple pattern
342	Striking face insert	381	Dodecahedral dimple pattern
343	Wood composition		

382	Octahedral dimple pattern	416	.Having game element combined
383	Particular dimple detail		with or convertible to game
384	Depth or width		element or practice or
385	Containing metal		training device for different
386	.Tee setting device		type of projectile game
387	.Tee	417	.Means removably supporting
388	Folded flat stock material		projectile in position to be
389	Separable from pack containing		struck and thereby projected
307	plural tees		by player (e.g., batting tee,
390	Plural		etc.)
		418	Projectile suspended or is
391	Separable or separately		supported by column of fluid
	movable	419	Having means engaging top of
392	Projectile supporting surface	117	projectile (e.g., kicking
	horizontally offset from		trainer or tee, etc.)
	vertical insertable shank	420	
393	Tether	420	For projectile intended to be
394	Restrained by auxiliary weight		projected by kicking (e.g.,
395	Wire	401	kicking trainer or tee, etc.)
396	Relatively movable sections	421	.Batting backstop or cage
397	Pivotal about distinct	422	.Practice or training device
	horizontal axis	423	Tethered projectile
398	Elevation guide	424	Tether attached to means
399	Particular biodegradable or		adapted to be held by, carried
	frangible material		by, or attached to person
400	Elevation guide for insertable	425	Person held, carried, or
400	_		attached means is
401	shank		nonmechanical projector
401	Plural diverse materials	426	Projectile tethered between
402	Shank extends below level of		opposed tether sections
	projectile addressing surface	427	Projectile continuously driven
403	At acute angle with surface		in closed orbit prior to being
404	.Green slope indicator		struck
405	.Accesory device located on	428	Projectile slidable along a
	projectile addressing surface	120	line
	(e.g., tee block, direction	429	Tether pivotally attached for
	<pre>indicator, etc.)</pre>	429	
406	.Ball position marker	420	orbital revolution
407	.Club selection, ball direction,	430	Projectile suspended by tether
	or distance indicating aid	431	Having projectile return means
408	.Player manipulated turf repair	432	Return chute
100	tool	433	With or for basketball-type
409	.Method		goal
410	CROQUET; GAME ELEMENT OR	434	Deflector
410		435	Planar
411	ACCESSORY THEREFOR	436	Using moving arm or rotating
411	.Arch type of goal or target, per		wheel
44.0	se (i.e., croquet wicket)	437	Weight externally mounted by
412	.Player-carried, nonmechanical		user to manually held and
	projector, per se (e.g., a		swung projector for warmup or
	mallet, etc.)		exercise
413	.Ball, per se	438	For football or rugby
414	HOPSCOTCH	439	Projectile target or stop
415	PLAYING FIELD OR COURT GAME; GAME	440	Running grid or resistance
	ELEMENT OR ACCESSORY THEREFOR	110	course
	OTHER THAN PROJECTOR OR	111	
	PROJECTILE, PER SE	441	Blocking, tackling, or
			charging device

442	Suspended or suspendible dummy	467	<pre>Having boundary detector (e.g., ball-out-of-bounds detector</pre>
443	Suspension movable in horizontal plane	468	for tennis court, etc.)For game in which play involves
444	Self-erecting or person- supported dummy		<pre>base running (e.g., baseball, cricket, etc)</pre>
4.4.5		469	
445	Dummy mounted on support	409	Having field or court dividing
	enabling traverse over ground		barrier with apertured goal or
	or floor during training		target therein or thereon
	<pre>(e.g., charging sled, etc.)</pre>	470	For game using goal or target
446	For game using apertured or		for projectile (e.g.,
	pocketed goal or target (e.g.,		football, rugby, etc.)
	for hockey, soccer, polo,	471	For game in which goal or
	lacrosse, etc.)		target is peripherally located
447	For game using elevated,		aperture or pocket (e.g.,
11/			hockey, soccer, lacrosse,
	horizontally disposed goal or		
	target (e.g., for basketball,	472	polo, etc.)
4.4.0	etc.)	4/2	For game in which peripheral
448	Hoop-opening reducer or means		goal or target is elevated and
	for improving arch of ball		horizontally disposed (e.g.,
	shot toward goal or target		basketball, etc.)
449	Rebound or tipping trainer	473	For game using field or court
450	Player worn or carried		having dividing means thereon
451	For game in which play involves		for separating opponents
	base running (e.g., for		(e.g., a net used for
	baseball, cricket, etc.)		volleyball, etc.)
452	Foot positioner (e.g., stance,	474	For game also using projectors
	stride device, etc.)		carried by players (e.g.,
453	Bat swing analyzer or guide		tennis, badminton, etc.)
454	Pitcher`s target	475	Table tennis
455	With electrically operated or	476	.Goal or target structure for
133	actuated indicator		projectile; element thereof
456	Having subdivided strike zone	477	For football or rugby (e.g.,
457	Practice bat		goal post, etc.)
458	Player worn or carried	478	Apertured or pocketed goal or
459	For game using field or court		target (e.g., for hockey,
459			soccer, polo, lacrosse, etc.)
	having dividing means thereon	479	Goal or target is elevated and
	for separating opponents		horizontally disposed (e.g.,
	(e.g., for tennis, volleyball,		for basketball, etc.)
460	table tennis, etc.)	480	With goal indicator
460	Projectile collector for field	481	Backboard or support
	or court (e.g., trough, ball	401	structure therefor
	sweeper, etc.)	400	
461	Racket or paddle swing	482	Suspended
	analyzer or guide	483	With height adjustment
462	Projectile target	404	feature
463	Practice racket or paddle	484	Having parallelogram
464	Player worn or carried		linkage
465	.Having at least two different	485	Hoop or the net, pocket, or
	types of game elements used in		support structure therefor
	same game	486	Breakaway hoop
466	For game in which court or	487	Having means for mounting
	field is body of water (e.g.,		over edge of support
	water polo, water volleyball,	488	Quick mount hoop
	etc.)		

489	Removable net-mounting subassembly	516	PLAYER HELD AND POWERED, NONMECHANICAL PROJECTOR, PER
490	.Means for dividing field or		SE, FOR PROJECTING AERIAL
	court into compartments;		PROJECTILE BY STRIKING; PART
	element thereof or accessory		THEREOF OR ACCESSORY THEREFOR
	therefor (e.g., a net, marking	517	.Having projectile retrieving
	strip, marked line, etc.)		means
491	Net attachable to game table	518	.Body attachable
492		519	.With user shiftable, adjustable,
	Net post	319	or interchangeable weight for
493	With net-tightening means		
494	Net, with net, or for net		use during play or with freely
495	Net center stay		shiftable mass for increasing
496	.Table-tennis table	F 0 0	impact force
497	.Pitching rubber or mound	520	.With sound-deadening, vibration-
498	.Cricket wicket		damping, or shock-absorbing
499	.Base for game in which play		feature other than projectile-
	involves base running (e.g.,		or hand-contact surface or
	for baseball, etc.)		with rebound reducing feature
500	With indicator	521	For racket or paddle
501	Breakaway	522	Contacts string
502	.Flag belt (e.g., for use in	523	In, under, or contacting grip
	football game without	524	.Racket or paddle; accessory
	tackling, etc.)		therefor (e.g., a tennis
503	.Projectile catcher other than		racket, tennis racket press,
	combined projector-catcher		etc.)
	device	525	Having striking faces attached
504	.Cover for playing field or court		to the ends of intermediate
301	(e.g., for baseball field,		handle
	etc.)	526	Having handle at an angle to,
505	PLAYER-HELD DEVICE FOR BOTH		offset from, or nonradially
	PROJECTING AND CATCHING AERIAL		oriented relative to plane of
	PROJECTILE; PART THEREOF OR		striking member
	ACCESSORY THEREFOR (I.E.,	527	Paddle
	COMBINED PROJECTOR-CATCHER	528	Projectile striking surface is
	DEVICE)		flexible sheet secured to
506	.With tethered projectile		peripheral frame
507	Having pocketed catcher	529	Having resilient blade facing
508	Having pocketed edtener	530	Blade having means to enhance
509	Having erastic tetherHaving projectile conducting		friction upon impacted
309			projectile (e.g., to enhance
	means between separate entrance and exit (e.g.,		English upon projectile, etc.)
		531	Folding or detachable shaft
Г10	continuous orbit, etc.)	532	Having replaceable string frame
510	.Both projector and catcher are	533	Double strung (i.e., having
г11	pocketed	333	striking faces formed from two
511	With mechanical projection		spaced-apart, planar sets of
512	Pocket-to-pocket type		strings)
513	Having pocket with laterally	534	With adjustable string-
	facing opening (e.g., lacrosse	J J T	tensioning means
	stick, jai alai cesta, etc.)	535	_
514	.Having impaling, hooking, or		Fiber reinforced plastic frame
	ensnaring type catcher	536	Plural fiber compositions
515	.Having pocketed catcher		
	connected to but spaced apart		
	from projector		

537	Having dimensional	555	Racket frame holder or support
	characteristic or other		for use while stringing
	parameter specified by a	556	With stringing or string-
	number, numeric variable, or		stretching device
	mathematical formula (e.g.,	557	Stringing or string-stretching
	location of center of gravity,		device
	elastic modulus of a string,	558	.Mallet
	weight of racket, etc.)	559	.Club
538	Of handle or grip	560	Having elongated blade (e.g.,
539	Elongated string-hole liner		hockey stick, etc.)
	(e.g., grommet, bushing, etc.)	561	Fiber reinforced
540	Having string mounting feature	562	Stick to blade joint
	other than mere through-holes	302	construction
	lying in string plane	563	Blade construction or
541	Extending radially inward from	303	accessory
	inner frame edge	564	.Bat (e.g., baseball bat, etc.)
542	Having nonplanar string-hole	565	Having elongated blade (e.g.,
	pattern or arrangement in	202	
	frame	5.6.6	cricket bat, etc.)
543	Prefabricated string assembly,	566	Of metallic-shell structure
	means to prevent relative	567	Of plastic composition
	movement or wear at crossover	568	Grip
	points of strings, or having	569	PROJECTILE, PER SE; PART THEREOF
	one or more strings with		OR ACCESSORY THEREFOR
	specified characteristic or	570	.With light-emitting, electrical,
	arrangement		magnetic, or rotatable
544	Nonmetallic frame having		inertial means or having
011	metallic reinforcement or		boundary-detector activating
	frame composed of metal-		means
	plastic composite	571	.With sound-producing means
545	Metallic frame	572	.Having suction cup
546	Throat wedge, bridge, or	573	.Having bristled, hooked, or
340	reinforcement		looped surface for adherence
547	Having laminated frame		to complementarily surfaced
548	_		means (e.g., Velcro@ material,
540	String guard, frame bumper or		etc.)
	guard, or specified shaft to	574	.Having means for nonpenetrating
E 4.0	head connection		adherence to complementarily
549	Handle or grip structure		surfaced means (e.g., tacky
550	Dispensing, cooled, or		surface, etc.)
	externally ventilated	575	.Having attached or means for
551	Having hand or finger		attaching thereto tether,
	conforming contour, through-		elongated flaccid streamer, or
	hole for finger, portion		the like
	overlying back of hand,	576	Attached tether, streamer, or
	projecting hand stop or		the like has means adapted to
	positioner spaced from butt,		be held by, carried by, or
	wrist strap, or nonstandard		attached to person
	transverse cross-section	577	.Scattershot, material dispensing
552	Grip or handle longitudinally		upon impact, openable to
	or rotationally adjustable		expose interior chamber, or
	relative to head or shaft or		having parts adapted to move
	changeable in length		away from, or be separated
553	Accessory for use with racket		from, one another upon impact
	or paddle (e.g., used with or	578	.Arrow, dart, or shuttlecock;
	for tennis racket, etc.)		part thereof
554	Press		-

579	<pre>Shuttlecock (e.g., badminton shuttlecock, etc.)</pre>	600	.Having solid core within outer cover; core or cover therefor
580	Having independent feathers or vanes	601	<pre>(e.g., baseball, etc)And having intermediate layer</pre>
581	Having fluid-conducting means		between core and cover or
582	Head structure		having core or cover composed
583	Broadhead		of plural layers
584	Having interchangeable blade	602	Having plural intermediate
585	<pre>And vane structure (i.e., flight guiding or stabilizing means)</pre>		layers, at least one being of material diverse from material of core, cover, or another
586	Vane structure (i.e., flight guiding or stabilizing means)		<pre>intermediate layer; or having core or cover composed of three or more layers, at least</pre>
587	.Curling stone		two being of diverse materials
588	<pre>.Disk- or ring-shaped (e.g., ice hockey puck, etc.)</pre>	603	.Having fluid-retaining bladder removable from within
589	<pre>Ring-shaped (e.g., deck-tennis quoit, etc.)</pre>		enclosing cover or casing (e.g., football, etc.)
590	.Boomerang	604	.Having hollow core or bladder
591	.Horseshoe		enclosed within cover (e.g.,
592	.Tipcat		basketball, soccer-ball,
593	.Having self-contained means for		tennis ball, etc.)
	<pre>inflating, pressurizing, reinflating, or repressurizing</pre>	605	And having intermediate layer
	projectile with fluid or		composed of wrapping of
	comprising reinflating or		strands or strips between
	repressurizing method		cover and core or bladder
594	.Having loose internal element,	606	Cover is composed of feltlike,
	containing or adapted to		napped, or cloth material
	contain liquid, or comprising	605	(e.g., tennis ball, etc.)
	spherically configured ball	607	.Comprising cover for core; blank
	having variable or eccentric	600	or closure therefor
	center of gravity	608	Closure therefor
595	.Having means other than	609	.Having hollow, fluid-impervious shell, core, or bladder
	<pre>ellipsoidal spheroid shape (e.g., football shaped, etc.)</pre>	610	With sealable opening, valve,
	to produce erratic or		or inflation tube for
	unpredictable rebounding or		insertion of fluid (e.g.,
	rolling thereof		beach ball, etc.)
596	.Having handle or surface	611	.Comprising opening, valve, or
	configuration for enhancing		inflation tube for insertion of fluid
	user`s handgrip thereon	612	.Having visible skeletal
597	Grip-enhancing means comprises closure or seam of casing or	012	structure
	cover or comprises simulation	613	.Having fluid-dynamic means other
	of such closure or seam (e.g.,		than stitched seam or textured
	lacing of football casing,		surface to alter, stabilize,
	etc.)		or retard passage of
598	.Comprising casing or cover		projectile through the fluid
	having stitched seam or laced		(e.g., spiral fluting to
	closure; blank for such casing		impart spin, etc.)
	or cover (e.g., casing of	614	.Having projections extending
	<pre>baseball, etc.)</pre>		outwardly from external
599	For distensible bladder (e.g.,		surface or consisting of a
	casing of football, etc.)		mass of radially oriented filaments

Office of the series of the se

FOREIGN ART COLLECTIONS

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS

Any foreign patents or non-patent literature from subclasses that have been reclassified have been transferred directly to FOR Collections listed below. These Collections contain ONLY foreign patents or non-patent literature. The parenthetical references in the Collection titles refer to the abolished subclasses from which these Collections were derived.

```
FOR 100 BASKETBALL (273/1.5R)
```

FOR 101 .Basketball training devices (273/1.5A)

FOR 102 BASEBALL (273/25)

FOR 103 .Practice devices (273/26R)

FOR 104 .. Target or backstop (273/26A)

FOR 105 ..Bats (273/26B)

FOR 106 .. Player worn (273/26C)

FOR 107 .. Ball pitching devices (273/26D)

FOR 108 .. Tethered (273/26E)

FOR 109 .. Tethered balls slidable along a line (273/26EA)

FOR 110 .Field covers (273/27)

FOR 111 .Ball curvers (273/28)

FOR 112 **TENNIS (273/29R)**

FOR 113 .Table (273/30)

FOR 114 .Court marking strips (273/31)

FOR 115 .Practice (273/29A)

FOR 116 .Nets (273/29B)

FOR 117 .. Net center stay (273/29BA)

FOR 118 ..Net post (273/29BB)

FOR 119 ...Net tightening (273/29BC)

FOR 120Reel (273/29BD)

FOR 121Lever (273/29BE)

FOR 122Screw (273/29BF)

FOR 123Rotating post (273/29BG)

FOR 124 **FOOTBALL (273/55R)**

FOR 125 .Tackling dummies (273/55A)

FOR 126 .Kicking tees and kicking trainers (273/55B)

FOR 127 .Flag belts (273/55C)

FOR 128 .Goal post structure (273/55D)

FOR 129 CROQUET (273/56)

FOR 130 .Tables and boards (273/57)

FOR 131 HOPSCOTCH (273/57.1)

FOR 132 HOCKEY

FOR 133 FENCING (273/57.3)

FOR 134 BALLS (273/58R)

FOR 135 .Baseball (273/60R)

FOR 136 .. Covers (273/60A)

FOR 137 .. No windings (273/60B)

FOR 138 .Tennis (273/61R)

FOR 139 ..Ping-pong balls (273/61A)

FOR 140 .. Fabrics, per se (273/61B)

FOR 141 .. Rubber formulations (273/61C)

FOR 142 ..Methods of pressurizing (273/61D)

FOR 143 .Football and basketball (273/65R)

FOR 144 .. Closure (273/65A)

FOR 145 ..Bladders (273/65B)

FOR 146 .. Valves: composite (273/65C)

FOR 147 ... Valves: rubber (273/65D)

FOR 148 .. Casings (273/64E)

FOR 149 ... Nonball art (273/65EA)

FOR $150 \dots Windings (273/65EB)$

FOR 151 ...Weighted (273/65EC)

FOR 152 ...Ball making methods (273/65ED)

FOR 153 ...One-piece construction (273/65EE)

FOR 154 ...Spiraling and electrical (273/65EF)

FOR 155 ... Gripping structure (273/65EG)

FOR 156 .. Closure means (273/65F)

FOR 157 .Solid and covered (273/58A)

FOR 158 .Hollow: single layer (273/58B)

FOR 159 .Plural layer (273/58BA)

FOR 160 .Tethered (273/58C)

FOR 161 .Skeleton (273/58D)

FOR 162 .Sounding (273/58E)

FOR 163 .Loose internal elements (273/ 58F)

FOR 164 .Including electrical components (273/58G)

FOR 165 .Liquid containing (273/58H)

FOR 166 .rubber formulation (273/58J)

FOR 167 .Surface projections (273/58K)

FOR 168 BAT, MALLET, RACKET, OR BILLY (273/67R)

FOR 169 .Baseball (273/72R)

FOR 170 ...Metal shell (273/72A)

FOR 171 .Tennis (273/73R)

FOR 172 ...Presses and cases (273/74)

FOR 173 ...Handle grips (273/75)

FOR 174 .. Table (273/76)

FOR 175 ...Stringing devices (273/73A)

- FOR 176 ...Stretching devices (273/73B)
- FOR 177 ... Bow structure (273/73C)
- FOR 178 ..String fastener or guides (273/ 73D)
- FOR 179 .. Adjustable tension (273/73E)
- FOR 180 ..Laminated nonmetallic (273/73F)
- FOR 181 .. Throat structure (273/73G)
- FOR 182 .. Metal (273/73H)
- FOR 183 ..Handle structure, per se (273/73J)
- FOR 184 .. Metal reinforced (273/73K)
- FOR 185 ..Replaceable string frame (273/ 73L)
- FOR 186 .Croquet (273/83)
- FOR 187 .Police clubs (273/84R)
- FOR 188 .. Electric shock (273/84ES)
- FOR 189 .Hockey sticks (273/67A)
- FOR 190 .Hand or foot attached (273/67B)
- FOR 191 .Polo mallet (273/67C)
- FOR 192 .Cricket bat (273/67D)
- FOR 193 ... Handle structure (273/67DA)
- FOR 194 ..Grips, guards, and weights (273/67DB)
- FOR 195 ..Blade facings (273/67DC)
- FOR 196 .Combined projector and catcher (273/318)
- FOR 197 .. Tethered projectile (273/319)
- FOR 198 ... Pocketed catcher (273/320)
- FOR 199 Elastic tether (273/321)
- FOR 200 ..Separate entrance and exit (e.g., continuous orbit, etc.) (273/322)
- FOR 201 ..Pocketed projector and catcher (273/323)
- FOR 202 ... Mechanical projection (273/ 324)
- FOR 203 ...Pocket-to-pocket (273/325)
- FOR 204 ...Transversely extending pocket (e.g., lacrosse stick) (273/ 326)
- FOR 205 .. Impaling, hooking, or ensnaring type catcher (273/327)
- FOR 206 ..Pocketed catcher-separate projector (273/328)
- FOR 207 .Tipcoat game, projectile therefor, or accessory (273/341)
- FOR 208 .Projectile or target having suction cup (273/344)
- FOR 209 .Projectile or target having magnetized material for adherence therebetween (273/345)

- FOR 210 .Projectile or target having complementary bristled, microhooked, or looped material for adherence therebetween (e.g., Velcro@ material, etc.) (273/346)
- FOR 211 .Projectile or target having complementary means for nonpenetrating adherence therebetween (e.g., tacky surface, etc.) (273/347)
- FOR 212 .Playing field or court game; or accessory therefor (e.g., volleyball, soccer, etc.) (473/411)
- FOR 213 .Tethered projectile (273/413)
- FOR 214 ..Tethered to means engageable with human body part (e.g., hand-held means or means attachable to human body part) (273/414)
- FOR 215 .Scattershot projectile or beanbag projectile (273/415)
- FOR 216 .Arrow, dart, shuttlecock, or element thereof (273/416)
- FOR 217 ... Shuttlecock (273/417)
- FOR 218 ..Material dispensing upon impact or having fluid conducting means (273/418)
- FOR 219 ... Head structure (273/419)
- FOR 220 ...And vane structure (i.e., flight guiding or stabilizing means) (273/420)
- FOR 221 ...Broadhead (273/421)
- FOR 222Interchangeable blade (273/ 422)
- FOR 223 .. Vane structure (i.e., flight guiding or stabilizing means) (273/423)
- FOR 224 .Disc or ring projectile (273/424)
- FOR 225 ..Ring (273/425)
- FOR 226 .Boomerang projectile (273/426)
- FOR 227 .Horseshoe projectile (273/427)
- FOR 228 .Nonspherical projectile (273/ 428)
- FOR 229 .Projectile (273/128R)
- FOR 230 ...Curling stones (273/128CS)
- FOR 231 ..Rollable (273/128A)